

	論文タイトル	著者	年	雑誌名	内容
1	Association of endometriosis-related infertility with age at menopause.	Yasui T, Hayashi K, Mizunuma H et al.	2011	Maturitas	不妊症が関係した子宮内膜症では閉経が早い
2	Factors associated with premature ovarian failure, early menopause and earlier onset of menopause in Japanese women.	Yasui T, Hayashi K, Mizunuma H et al.	2012	Maturitas	日本人の閉経年齢は52.1歳である
3	Independent association between age at natural menopause and hypercholesterolemia, hypertension, and diabetes mellitus: Japan Nurses' Health Study.	Lee JS, Hayashi K, Mishra G, Yasui T, Kubota T, Mizunuma H.	2013	J Atheroscler Thromb	閉経年齢が早いと最初に脂質異常症が起こる
4	Risk profiles for endometriosis in Japanese women: results from a repeated survey of self-reports.	Yasui T, Hayashi K, Nagai K, et al.	2015	J Epidemiol	早い初経年齢、月経が順調、喫煙は子宮内膜症の危険因子
5	Disease history and risk of comorbidity in women's life course: a comprehensive analysis of the Japan Nurses' Health Study baseline survey.	Nagai K, Hayashi K, Yasui T, et al.	2015	BMJ Open	閉経前子宮内膜症を有する女性では閉経後に心血管系疾患が共存する
6	Uterine leiomyomata: a retrospective study of correlations with hypertension and diabetes mellitus from the Japan Nurses' Health Study.	Yasui T, Hayashi K, Okano H et al.	2018	J Obstet Gynaecol	子宮筋腫を有する女性は高血圧（本人、母親）と関連する
7	The association of urinary estrogen levels with urinary isoflavone levels: Difference between premenopausal women and postmenopausal women.	Yasui T, Ideno Y, Onizuka Y et al.	2019	Maturitas	イソフラボン摂取しても尿エストロゲン濃度は大きく変わらない
8	Variation of urinary follicle-stimulating hormone level after menopause: From the results of Japan Nurses' Health Study.	Yasui T, Ideno Y, Onizuka Y et al.	2019	J Medical Investigation	閉経後の尿エストロゲンのFSHレベルにはばらつきがある
9	Association between FSH, E1, and E2 levels in urine and serum in premenopausal and postmenopausal women.	Onizuka Y, Nagai K, Ideno Y, Kitahara Y, Iwase A, Yasui T, et al.	2019	Clinical Biochemistry	尿FSHと血中FSHは相関する
10	Prevalence of the Use of Oral Contraceptives and Hormone Replacement Therapy in Japan: The Japan Nurses' Health Study.	Yasui T, Ideno Y, Shinozaki H, Kitahara Y, et al	2021	Journal of Epidemiology	経口避妊薬普及率は6.0%、ホルモン補充療法普及率は13.8%
11	Complaints of reduced cognitive functioning during perimenopause: A cross-sectional analysis of the Japan Nurses' Health Study	K Hayashi, Y Ideno, KNagai, JS Lee, Yasui T.	2022	Women's Midlife Health	「記憶力の低下・物忘れ」の有病率は、更年期移行期閉経期前後女性で最も高い
12	Characteristics of HRT users in Japan: From the Japan Nurses' Study	Toshiyuki Yasui, Y Ideno, K Nagai and K Hayashi	2023	Maturitas	内分泌ホルモンの十分な知識、婦人科受診の抵抗の少ない女性はHRT を使用する